

Contents

Fiber Optic Adaptor and Patch Cord	P01-06
Fiber Optic Distribution Box	P07-27
Fiber Optic Closure	P28-33
Fiber Optic Metal Box	P34-36
Fiber Optic Patch Panel	P37-42
Fiber Optic Tools	P43-53
Fusion Splicer	P54-57
Fiber Optic PLC Splitter	P58
Fiber Optic Cable	P59-62
Fiber Optic Converter	P63-64
Fiber Optic Trolley With Duct Wire	P65

LINKWYLAN

LW-3001




ST Fiber Optic Adaptor

Item No	Description
LW-3001A-SM	ST SM Simplex Adaptor
LW-3001B-MM	ST MM Simplex Adaptor

© SM Means Single-Mode
© MM Means Multi-Mode

LW-3002




FC Fiber Optic Adaptor

Item No	Description
LW-3002B	Square Type
LW-3002E	D Type(white Cover)

© Single-Mode


LW-3004



SC Fiber Optic Adaptor

Item No	Description
LW-3004A-SM-S	SC SM Simplex Adaptor
LW-3004B-SM-D	SC SM Duplex Adaptor
LW-3004C-MM-S	SC MM Simplex Adaptor
LW-3004D-MM-D	SC MM Duplex Adaptor


LW-3100



SC Fiber Optic Adaptor

Item No	Description
LW-3100A-APC-S	SC APC Simplex Adaptor
LW-3100B-APC-D	SC APC Duplex Adaptor
LW-3100C-OM3-S	SC OM3 Simplex Adaptor
LW-3100D-OM3-D	SC OM3 Duplex Adaptor
LW-3100E-OM4-S	SC OM4 Simplex Adaptor
LW-3100F-OM4-D	SC OM4 Duplex Adaptor


LW-3005



LC Fiber Optic Adaptor

Item No	Description
WT-3005A-SM-S	LC SM Simplex Adaptor
WT-3005B-SM-D	LC SM Duplex Adaptor
WT-3005C-SM-F	LC SM Fourfold Adaptor
WT-3005D-MM-S	LC MM Simplex Adaptor
WT-3005E-MM-D	LC MM Duplex Adaptor
WT-3005F-MM-F	LC MM Fourfold Adaptor


LW-3101



LC Fiber Optic Adaptor

Item No	Description
LW-3101A-APC-S	LC APC Simplex Adaptor
LW-3101B-APC-D	LC APC Duplex Adaptor
LW-3101C-OM3-S	LC OM3 Simplex Adaptor
LW-3101D-OM3-D	LC OM3 Duplex Adaptor
LW-3101E-OM4-D	LC OM4 Duplex Adaptor

LW-3470




SC Fiber Optic Adaptor (Transparent Cover)

Item No	Description
LW-3470A-SM-S	SC SM Simplex Adaptor
LW-3470B-SM-D	SC SM Duplex Adaptor
LW-3470C-MM-S	SC MM Simplex Adaptor
LW-3470D-MM-D	SC MM Duplex Adaptor

©APC/OM3/OM4 are available


LW-3000



Fiber Optic Adaptor

Item No	Description
LW-3000A	ST to FC Adaptor
LW-3000B	SC to FC Adaptor
LW-3000C	ST to SC Adaptor


LW-3401



Simplex SC adaptor with Spring Dust Cover

Item No	Description
LW-3401A-UPC-S	UPC Simplex SC adaptor (small-wing)
LW-3401B-APC-S	APC Simplex SC adaptor (small-wing)
LW-3401C-UPC-S	UPC Simplex SC adaptor (ordinary-wing)
LW-3401D-APC-S	APC Simplex SC adaptor (ordinary-wing)


LW-3402



Simplex SC adaptor With Small-wing

Item No	Description
LW-3402A-UPC-S	UPC Simplex SC adaptor (small-wing)
LW-3402B-APC-S	APC Simplex SC adaptor (small-wing)

LW-3109A



SC Fiber Optic Fast Connector

Item No	Description
LW-3109A-UPC	SC Fiber Optic Fast Connector
LW-3109A-APC	SC Fiber Optic Fast Connector

©Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
©Packing List:10PCS/Package,100PCS/Inner Box,2000PCS/CTN



LW-3109B




SC Fiber Optic Fast Connector

Item No	Description
LW-3109B-UPC	SC Fiber Optic Fast Connector
LW-3109B-APC	SC Fiber Optic Fast Connector

©Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
©Packing List:10PCS/Package,100PCS/Inner Box,2000PCS/CTN

LW-3109C



SC Fiber Optic Fast Connector

Item No	Description
LW-3109C-UPC	SC Fiber Optic Fast Connector
LW-3109C-APC	SC Fiber Optic Fast Connector

©Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
©Packing List:10PCS/Package,100PCS/Inner Box,2000PCS/CTN

LW-3109D



SC Fiber Optic Fast Connector

Item No	Description
LW-3109D-UPC	SC Fiber Optic Fast Connector
LW-3109D-APC	SC Fiber Optic Fast Connector

©Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
©Packing List:10PCS/Package,100PCS/Inner Box,2000PCS/CTN

LW-3109E



SC Fiber Optic Fast Connector

Item No	Description
LW-3109E-UPC	SC Fiber Optic Fast Connector
LW-3109E-APC	SC Fiber Optic Fast Connector

- ◎Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
- ◎Packing List:10PCS/Package,100PCS/Inner Box,2000PCS/CTN

LW-3109S




SC Fiber Optic Fast Connector

Item No	Description
LW-3109S-UPC	SC Fiber Optic Fast Connector
LW-3109S-APC	SC Fiber Optic Fast Connector

- ◎Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
- ◎Packing List:1PCS/Bag,120PCS/Inner Box,1200PCS/CTN

LW-3109Y



SC Fiber Optic Fast Connector

Item No	Description
LW-3109Y-UPC	SC Fiber Optic Fast Connector
LW-3109Y-APC	SC Fiber Optic Fast Connector

- ◎Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
- ◎Packing List:10PCS/Package,150PCS/Inner Box,1800PCS/CTN

LW-3109L




LC Fiber Optic Fast Connector

Item No	Description
LW-3109L-UPC	LC Fiber Optic Fast Connector
LW-3109L-APC	LC Fiber Optic Fast Connector

- ◎Suit For 2.0X3.0mm FTTH Cable(LW-3050J)
- ◎Packing List:10PCS/Package,100PCS/Inner Box,2000PCS/CTN

LW-3076A/B




Universal Optical Fiber Splice

Item No	Description
LW-3076A	Universal Optical Fiber Splice
LW-3076B	Universal Optical Fiber Splice With Plastic Tube

- ◎The universal optical fiber splice can be connected with 125um Fiber optical glass cable by two end

LW-3471




1Core Armoured Fiber Cable With SC Connector

Item No	Description
LW-3471-SC/UPC	With SC/UPC Connector
LW-3471-SC/APC	With SC/APC Connector

- ◎Length:1M,2M,3M,5M, 10M.....as Per Request
- ◎Fiber Type: G657A1 or G657A2 or G657B3
- ◎Colour: White or Black or Blue

LW-3111




12C 0.9mm Fan Out Pigtail(1.5m)

Item No	Description
LW-3111A	SC Single-mode 9/125um Fan Out Pigtail(1.5M)
LW-3111B	SC Multi-mode 50/125um Fan Out Pigtail(1.5M)
LW-3111C	SC Multi-mode 62.5/125um Fan Out Pigtail(1.5M)
LW-3111D	LC Single-mode9/125um Fan Out Pigtail(1.5M)
LW-3111E	LC Multi-mode 50/125um Fan Out Pigtail(1.5M)
LW-3111F	LC Multi-mode 62.5/125um Fan Out Pigtail(1.5M)

- ◎Colour: 12 Kinds Colour Standard Fiber Cores

LW-3220



12C 0.9mm Fan Out Pigtail With Jacket(1.5m)

Item No	Description
LW-3220A	SC Single-mode 9/125um Fan Out Pigtail with Jacket (1.5M)
LW-3220B	SC Multi-mode 50/125um Fan Out Pigtail with Jacket (1.5M)
LW-3220C	SC Multi-mode 62.5/125um Fan Out Pigtail with Jacket (1.5M)
LW-3220D	LC Single-mode9/125um Fan Out Pigtail with Jacket (1.5M)
LW-3220E	LC Multi-mode 50/125um Fan Out Pigtail with Jacket (1.5M)
LW-3220F	LC Multi-mode 62.5/125um Fan Out Pigtail with Jacket (1.5M)

- ◎Colour: 12 Kinds Colour Standard Fiber Cores
- ◎Please Indicate The Length of Stripped Cable, When you order

Simplex Fiber Optic Patch Cord

Cable Length:
 01.....1M
 02.....2M

 10.....10M

Connector Type:(For Both End)
 ST.....ST Type (UPC)
 FC.....FC Type (UPC or APC)
 SC.....SC Type (UPC or APC)
 LC.....LC Type (UPC or APC)
 E2000...E2000 APC Type

Fiber Type:
 1: 9/125um Fiber (Single-mode)
 2: 50/125um Fiber (Multi-mode)
 3: 62.5/125um Fiber (Multi-mode)
 4: OM3 Fiber (Multi-mode)
 5: OM4 Fiber (Multi-mode)

Cable Type:
 A: Simplex 3.0mm Jacket Cable
 B: Simplex 2.0mm Jacket Cable

For Example:LW-S-1-A-ST-SC-02:3.0mm Single-Mode ST-SC Simplex F/O Patch Cord 2M

Duplex Fiber Optic Patch Cord

Cable Length:
 01.....1M
 02.....2M

 10.....10M

Connector Type:(For Both End)
 ST.....ST Type (UPC)
 FC.....FC Type (UPC or APC)
 SC.....SC Type (UPC or APC)
 LC.....LC Type (UPC or APC)
 MR.....MTRJ Female Type
 MS.....MTRJ Male Type
 *1Pc MTRJ Connector is 2 Core type

Fiber Type:
 1: 9/125um Fiber (Single-mode)
 2: 50/125um Fiber (Multi-mode)
 3: 62.5/125um Fiber (Multi-mode)
 4: OM3 Fiber (Multi-mode)
 5: OM4 Fiber (Multi-mode)

Cable Type:
 A: Duplex 3.0mm Cable
 B: Duplex 2.0mm Cable

Clip For Duplex Cable
 * When You Order SC/LC Duplex Fiber patch Cord, please Indicate With or Without clip

Pigtail Fiber Optic Patch Cord

Cable Length:
 01.....1M
 02.....2M

 10.....10M

Connector Type
 ST.....ST Type (UPC)
 FC.....FC Type (UPC or APC)
 SC.....SC Type (UPC or APC)
 LC.....LC Type (UPC or APC)

Fiber Type:
 1: 9/125um Fiber (Single-mode)
 2: 50/125um Fiber (Multi-mode)
 3: 62.5/125um Fiber (Multi-mode)
 4: OM3 Fiber (Multi-mode)

Cable Type:
 A: 3.0mm Cable
 B: 2.0mm Cable
 C: 0.9mm Cable

© When You Order, please Mark Cable Type

LW-3009 Splicing Sleeve

Package (12 pcs/bag)
 1.5mm (or 1.0mm) For Diameter of Steel

Item No	Description
LW-3009A	60mm Splicing Sleeve (1.5mm Stainless Steel Wire)
LW-3009B	45mm Splicing Sleeve (1.5mm Stainless Steel Wire)
LW-3009C	60mm Splicing Sleeve (1.0mm Stainless Steel Wire)
LW-3009D	45mm Splicing Sleeve (1.0mm Stainless Steel Wire)
LW-3009E	40mm Splicing Sleeve (1.0mm Stainless Steel Wire)

© Package: 12pcs/bag, 24pcs/bag, 100pcs/bag
 © The diameter of LW-3009A/B with 1.5mm steel wire after shrinking is 2.9mm
 © The diameter of LW-3009C/D/E with 1.0mm steel wire after shrinking is 2.4mm

LW-3042 Splicing Tray

6C Comb
 12C Comb
 6C Comb
 12C Comb
 6C Comb
 12C Comb

The Slot for very Slim Sleeve (Not Suitable for LW-3009A Sleeve)

Suitable for LW-3009 (splicing sleeve)

Suitable for LW-3009 (splicing sleeve)

12C Clip (LW-3042D)

Item No	Description
LW-3042A	12C Splicing Tray
LW-3042B	24C Splicing Tray
LW-3042C	12C Splicing Tray
LW-3042D	12C Clip for 0.9mm fiber pigtail

© LW-3042 is specially suitable for LW-3031, 3124, 3125, 3243

LW-3122 12C/24C F/O Splicing Tray

170mm
 100mm

2 or 3 or 4 pcs tray can be connected together

1 Slot Also Can Fix 2 Core Splicing Sleeve, So The Tray Also Act AS 24 Cores

12C/24C F/O Splicing Tray
 A: Grey colour
 B: black colour
 © It is suitable for patch panel

LW-3123 24C F/O Splicing Tray

220mm
 90mm


24C F/O Splicing Tray

LW-3472



24C F/O Splicing Tray

LW-3043



DUST COVER FOR FIBER OPTIC PANEL
A:For ST Hole
B:For Simplex SC Hole
C:For Duplex SC Hole

LW-3064



2C FTTH Box

Item No	Description
LW-3064A	2 Cores FTTH Box without SC Adaptor(Empty)
LW-3064B	2 Cores FTTH Box with 1PC SC/APC Adaptor and 1M Pigtail


©Size:86x86x22mm

LW-3135




FTTH Cable Holder
A:Close type
B:Open type
©For FTTH Cable Installation Use

LW-3473



FTTH Cable Holder
A:Metal type
B:Plastic type
©For FTTH Cable Installation Use

LW-3474




2C FTTH Box

Item No	Description
LW-3474A	2 Cores FTTH Box without SC Adaptor(Empty)
LW-3474B	2 Cores FTTH Box with 1PC SC/APC Adaptor and 1M Pigtail

©Size:86x86x22mm

LW-3133




FTTH Cable Clip
©For FTTH Cable Installation Use

LW-3318



1 CORE Fiber optical cable splicing protector

LW-3193



2C FTTH Box

Item No	Description
LW-3193A	With Fitting for fiber cable
LW-3193B	Without Fitting for fiber cable

©Size:86x86x22mm
©If you need the box with SC simplex adaptor,please indicate when you order

LW-3320




2 CORE Fiber optical cable splicing protect box

LW-3321



3 CORE Fiber optical cable splicing protect box

LW-3437



1 Core Fiber optical cable Splicing Protector Box

Item No	Description
LW-3437	1 Core Fiber optical cable Splicing Protector Box

©Size:160x50mm
©For simplex SC adaptor

LW-3475A



2C FTTH Box(Empty)

Item No	Description
LW-3475A	2 Cores FTTH Box without SC Adaptor

◎Size:100x82x25mm

LW-3477A




1 Cores FTTH BOX(Empty)

Item No	Description
LW-3477A	1 Cores FTTH Box without SC Adaptor

◎Size:115x86x24mm
◎Box Suitable for 1PC SC Simplex Adaptor

LW-3475(B,C)



2C FTTH Box(With 1PC SC Adaptor and Pigtail)

Item No	Description
LW-3475B	2 Cores FTTH Box with 1PC SC/APC Adaptor (with Spring Cover) and 1M Pigtail
LW-3475C	2 Cores FTTH Box with 1PC SC/APC Adaptor (with Black Cover) and 1M Pigtail

◎Size:100x82x25mm

LW-3477B




2 Cores FTTH BOX(Empty)

Item No	Description
LW-3477B	2 Cores FTTH Box without SC Adaptor

◎Size:115x86x24mm
◎Box Suitable for 1PC SC Duplex Adaptor

LW-3475(D,E)



2C FTTH Box(With 2PC SC Adaptor and Pigtail)

Item No	Description
LW-3475D	2 Cores FTTH Box with 2PC SC/APC Adaptor (with Spring Cover) and 1M Pigtail
LW-3475E	2 Cores FTTH Box with 2PC SC/APC Adaptor (with Black Cover) and 1M Pigtail

◎Size:100x82x25mm

LW-3477C



1C FTTH Box(With 1PC SC Adaptor and Pigtail)

Item No	Description
LW-3477C	1 Cores FTTH Box with 1PC SC Simplex Adaptor (with Black Cover) and 1M Pigtail

◎Size:115x86x24mm

LW-3476



1C FTTH Box

Item No	Description
LW-3476A	1 Cores FTTH Box without SC Adaptor(Empty)
LW-3476B	1 Cores FTTH Box with 1PC SC Adaptor (with Spring Cover) and 1M Pigtail
LW-3476C	1 Cores FTTH Box with 1PC SC Adaptor (with Black Cover) and 1M Pigtail

◎Size:100x80x22mm

LW-3477D



2C FTTH Box(With 1PC SC Duplex Adaptor and Pigtail)

Item No	Description
LW-3477D	2 Cores FTTH Box with 1PC SC Duplex Adaptor (with Black Cover) and 1M Pigtail

◎Size:115x86x24mm

LW-3270



2 Cores FTTH BOX(Empty)

Item No	Description
LW-3270A	2 Cores FTTH Box without SC Adaptor

© Size:130x86x25mm
© Box Suitable for 2PC SC Simplex Adaptor

LW-3155



1 Core FTTH BOX(Empty)

Item No	Description
LW-3155A	1 Core FTTH Box without SC Adaptor
LW-3155B	1 Core FTTH Box with 1PC APC SC Simplex Adaptor

© Size:122(L) x 90(W) x23(H)mm
© Box Suitable for 1PC SC Simplex Adaptor

LW-3446



LW-3444



1C FTTH Box

Item No	Description
LW-3444A	Without SC Adaptor
LW-3444B	With 1PCS Simplex SC Adaptor

© Size:145(L) x90(W) x10(H)mm

LW-3118



2 Cores FTTH BOX

Item No	Description
LW-3118A	2 Cores FTTH Box without SC Adaptor
LW-3118B	2 Cores FTTH Box with 1PC APC SC Duplex Adaptor

© Size:124(L) x 80(W) x 25(H)mm
© Box Suitable for 1PC SC Duplex Adaptor

4C FTTH Indoor Wall Box

Item No	Description
LW-3446B	Without Din-rail holder(Without SC adaptor)

© Size:100(L) x 80(W) x30(H)mm
© The box is only suitable fox small-wing SC adaptor
© If you need the box with SC adaptor and Pigtail, We can supply

LW-3447




FTTH Wall Box With Drop Cable

Item No	Connector	Fiber cores	Fiber type	Cable Diameter	Jacket Type	Length
LW-3447	SC/UPC OR SC/APC	2Cores OR 4Cores	G657A2	3.0MM OR 4.0MM	LSZH	20M,30M.....100M (as per request)

If you specially need the DIN-Rail Mount holder, We also can supply

LW-3048



6 Cores Fiber Optic Splicing Plastic Box

Item No	Description
LW-3048	6 Cores F/O Splicing Plastic Box(Empty)

© Suit to be Installed ST,Simplex SC,FC,Duplex LC Adaptor, and 6ports Plastic Clamp for fiber optic pigtail cable
© Size:152x107x31mm

LW-3052



Fiber Optic Plastic Box

Item No	Description
LW-3052A	12C Fiber Optic Plastic Box(With 2pcs 6C Splicing Tray)
LW-3052B	24C Fiber Optic Plastic Box(With 4pcs 6C Splicing Tray)

© Size: 300(L) x 136(W) x 43(H)mm

LW-3119



4 Cores Outdoor FTTH BOX

Item No	Description
LW-3119	4 Cores FTTH Box Without SC Adaptor

© Size:200X102X40mm
© Box Suitable for 4PCS SC Simplex Adaptor

LW-3065




FTTH BOX

Item No	Description
LW-3065-4C	4 Cores FTTH Box Without SC Adaptor (Size:150X110X30mm)
LW-3065-8C	8 Cores FTTH Box Without SC Adaptor (Size:205X110X30mm)

© Box Suitable for SC Simplex Adaptor

LW-3194



4 Cores FTTH BOX

Item No	Description
LW-3194	4 Cores FTTH Box Without SC Adaptor

- Size: 160x110x30mm
- Box Suitable for 4PCS SC Simplex Adaptor

LW-3195



12 Cores FTTH BOX

Item No	Description
LW-3195	12 Cores FTTH Splicing Box

- Size: 160x110x30mm

LW-3198



2C/4C/6C FTTH BOX

Item No	Description
LW-3198A-2C	2 Cores FTTH Box Without SC Adaptor
LW-3198B-4C	4 Cores FTTH Box Without SC Adaptor
LW-3198C-6C	6 Cores FTTH Box Without SC Adaptor

- Box Suitable for SC Simplex Adaptor

LW-3405



4C Fiber Optic Outdoor FTTH Box

Item No	Description
LW-3405	Without SC Adaptor

- Size: 190(L) x 120(W) x 45(H)mm

LW-3406



8C Fiber Optic Outdoor FTTH Box

Item No	Description
LW-3406	Without SC Adaptor

- Size: 215(L) x 165(W) x 50(H)mm

LW-3239



FTTH BOX

Item No	Description
LW-3239A	For 2PCS SC Simplex Adaptor
LW-3239B	For 4PCS SC Simplex Adaptor

- Size: 215X150X50mm
- Box Suitable for SC Simplex Adaptor
- Waterproof: IP65
- Without SC Adaptor

LW-3240




FTTH BOX

Item No	Description
WT-3240	For 6PCS SC Duplex Adaptor

- Size: 265X195X60mm
- Box Suitable for SC Duplex Adaptor
- Waterproof: IP65
- Without SC Adaptor

LW-3478




8C Fiber Optic Outdoor FTTH Box

Item No	Description
LW-3478	with 8PCS SC adaptor(HUA WEI Type)

- Size: 285(L) x 175(W) x 80(H)mm

LW-3442



8 Cores Outdoor FTTH BOX

Item No	Description
LW-3442A	Without SC Adaptor
LW-3442B	With 8PCS Simplex SC Adaptor

◎Size:235(L) x125(W) x50(H)mm

LW-3479



8 Cores Outdoor FTTH BOX

Item No	Description
LW-3479A	Without SC Adaptor
LW-3479B	With 8PCS Simplex SC Adaptor

◎Size:235(L) x125(W) x50(H)mm

LW-3480




8 Cores Outdoor FTTH BOX

Item No	Description
LW-3480A	Without SC Adaptor
LW-3480B	With 8PCS Simplex SC Adaptor

◎Size:155(L) x125(W) x45(H)mm

LW-3463



16 Cores Outdoor FTTH BOX

Item No	Description
LW-3463	16 Cores FTTH BOX without SC Adaptor

◎Size:220(L) x140(W) x55(H)mm
 ◎The FTTH Box without SC adaptor
 ◎If you need SC adaptor to be installed we can do AS per request
 ◎Box is only Suitable for SC Simplex Adaptor (small wing)

LW-3169



8 Cores Outdoor FTTH BOX

Item No	Description
LW-3169	8 Cores FTTH Box(With Key)

◎Size:245x205x65mm
 ◎Waterproof :IP65

LW-3066B



8 Cores Outdoor FTTH BOX

Item No	Description
LW-3066B	8 Cores FTTH Box

◎Size:210x215x50mm
 ◎Waterproof: IP65
 ◎If you need key lock, we also can supply



LW-3066D




8 Cores Outdoor FTTH BOX

Item No	Description
LW-3066D	8 Cores FTTH Box

◎Size:210x215x50mm
 ◎Waterproof: IP65
 ◎If you need key lock, we also can supply



LW-3407-SC



12 Cores Outdoor FTTH BOX For SC adaptor

Item No	Description
LW-3407-SC-R	12 Cores FTTH Box(Rubber Input)
LW-3407-SC-G	12 Cores FTTH Box(Cable Gland)

- ⊙ Size:250x200x80mm
- ⊙ without SC adaptor
- ⊙ Waterproof :IP65

LW-3241A-SC




16C FTTH OUTDOOR BOX FOR SC ADAPTOR

Item No	Description
LW-3241A-SC	For 16pcs SC simplex adaptor

- ⊙ Size:300x240x80mm
- ⊙ without SC adaptor
- ⊙ Waterproof :IP65
- ⊙ If you need the box to be suitable for fixing pole, we can supply with 2PCS metal clamp

LW-3407-PLC



FTTH OUTDOOR BOX FOR PLC

Item No	Description
LW-3407-PLC-R	FTTH Box For PLC (Rubber Input)
LW-3407-PLC-G	FTTH Box For PLC (Cable Gland)

- ⊙ Size:250x200x80mm
- ⊙ Waterproof :IP65
- ⊙ Without PLC

LW-3241B-PLC




FTTH OUTDOOR BOX FOR PLC

Item No	Description
LW-3241B-PLC	For PLC Splitter

- ⊙ Size:300x240x80mm
- ⊙ Without PLC
- ⊙ Waterproof :IP65
- ⊙ If you need the box to be suitable for fixing pole, we can supply with 2PCS metal clamp

LW-3170-SC



16 Cores Outdoor FTTH BOX For SC adaptor

Item No	Description
LW-3170-SC-R	16 Cores FTTH Box(Rubber Input)
LW-3170-SC-G	16 Cores FTTH Box(Cable Gland)

- ⊙ Size:320x235x95mm
- ⊙ without SC adaptor
- ⊙ Waterproof :IP65

LW-3241E-SC




16C FTTH OUTDOOR BOX FOR SC ADAPTOR

Item No	Description
LW-3241E-SC	For 16pcs SC simplex adaptor

- ⊙ Size:300x240x80mm
- ⊙ without SC adaptor
- ⊙ Waterproof :IP65
- ⊙ If you need the box to be suitable for fixing pole, we can supply with 2PCS metal clamp

LW-3170-PLC



FTTH OUTDOOR BOX FOR PLC

Item No	Description
LW-3170-PLC-R	FTTH Box For PLC (Rubber Input)
LW-3170-PLC-G	FTTH Box For PLC (Cable Gland)

- ⊙ Size:320x235x95mm
- ⊙ Waterproof :IP65
- ⊙ Without PLC

LW-3241F-PLC



FTTH OUTDOOR BOX FOR PLC

Item No	Description
LW-3241F-PLC	FOR PLC Splitter

- ⊙ Size:300x240x80mm
- ⊙ Without PLC
- ⊙ Waterproof :IP65
- ⊙ If you need the box to be suitable for fixing pole, we can supply with 2PCS metal clamp

LW-3313A-SC



12C Fiber Optic Outdoor FTTH Box For SC Adaptor

Item No	Description
LW-3313A-SC	For 12PCS SC Simplex Adaptor

- Size: 225(L) x 200(W) x 65(H)mm
- without SC adaptor
- If you need the box to be suitable for fixing pole, we can supply with 2PCS metal clamp

LW-3313B-PLC



8C Fiber Optic Outdoor FTTH Box For PLC

Item No	Description
LW-3313B-PLC	For PLC Splitter

- Size: 225(L) x 200(W) x 65(H)mm
- When order, please indicate:
- With or without PLC splitter
- If you need the box to be suitable for fixing pole, we can supply with 2PCS metal clamp

LW-3261A-SC



24C FTTH OUTDOOR BOX FOR SC ADAPTOR

Item No	Description
LW-3261A-SC	For 24pcs SC simplex adaptor

- without SC adaptor
- If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop

LW-3261B-PLC



FTTH OUTDOOR BOX FOR PLC

Item No	Description
LW-3261B-PLC	For PLC Splitter

- When order, please indicate:
- With or without PLC splitter
- If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop

LW-3453-SC-12C



12C Fiber Optic Outdoor FTTH Box For SC Adaptor

Item No	Description
LW-3453-SC-12C	For 12PCS SC Simplex Adaptor

- Size: 285(L) x 175(W) x 83(H)mm
- without SC adaptor
- If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop
- Colour: Black or Grey

LW-3453-SC-16C




16C Fiber Optic Outdoor FTTH Box For SC Adaptor

Item No	Description
LW-3453-SC-16C	For 16PCS SC Simplex Adaptor

- Size: 285(L) x 175(W) x 83(H)mm
- without SC adaptor
- If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop
- Colour: Black or Grey

LW-3453-PLC




Fiber Optic Outdoor FTTH Box For PLC

Item No	Description
LW-3453-PLC	For PLC Splitter

- Size: 285(L) x 175(W) x 83(H)mm
- When order, please indicate:
- Without PLC splitter
- If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop
- Colour: Black or Grey

LW-3409



24C FTTH OUTDOOR BOX FOR SC ADAPTOR

Item No	Description
LW-3409	With 24 Hole for fiber Cable

- Size: 335(L) x 210(W) x 95(H)mm
- With 4pcs 12C tray
- If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop
- Colour: Black or Grey

LW-3454-SC



16C Fiber Optic Outdoor FTTH Box For SC Adaptor

Item No	Description
---------	-------------

LW-3454-SC For 16PCS SC Simplex Adaptor

- ⊙ Size:285(L) x 175(W) x 103(H)mm
- ⊙ without SC adaptor
- ⊙ If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop
- ⊙ Colour:Black or Grey

LW-3454-PLC



Fiber Optic Outdoor FTTH Box For PLC

Item No	Description
---------	-------------

LW-3454-PLC For PLC Splitter

- ⊙ Size:285(L) x 175(W) x 103(H)mm
- ⊙ When order ,please indicate:
- ⊙ Without PLC splitter
- ⊙ If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop
- ⊙ Colour:Black or Grey

LW-3481



24C Fiber Optic Outdoor FTTH Box For SC Adaptor

Item No	Description
---------	-------------

LW-3481-SC For 16PCS SC Simplex Adaptor

- ⊙ without SC adaptor
- ⊙ If you need the box to be suitable for fixing pole, we can additional metal fitting and metal hoop
- ⊙ Colour:Black or Grey

LW-3456



24C Fiber Optic Outdoor FTTH Box For 16PCS SC Adaptor

Item No	Description
---------	-------------

LW-3456 For 16PCS SC Adaptor

- ⊙ Size:290(L) x 190(W) x 110(H)mm
- ⊙ With 1pcs 24C splicing tray

LW-3482



24C Fiber Optic Outdoor FTTH Box For 16PCS SC Adaptor

Item No	Description
---------	-------------

LW-3482 For 16PCS SC Adaptor

- ⊙ Size:320(L) x 200(W) x 100(H)mm
- ⊙ With 1pcs 24C splicing tray

LW-3412



Fiber Optical Distribution Box(With 16Hole fiber cable)


Item No	Description
---------	-------------

LW-3412A With Gap For FTTH Drop Cable 2.0x3.0mm(LW-3050J)

- ⊙ Size:380(L) x 245(W) x 130(H)mm
- ⊙ With 4pcs 12C/24C tray



Install illustration For Outdoor FTTH Box



If you need the FTTH Box to be fixed on the pole, We can additional metal hoop and metal fitting, please indicate when you order

LW-3413



Fiber Optical Distribution Box(With 24Hole fiber cable)

Item No	Description
LW-3413A	With Gap For FTTH Drop Cable 2.0x3.0mm(LW-3050J)

- ◎ Size:380(L) x 245(W) x 130(H)mm
- ◎ With 4pcs 12C/24C tray



LW-3465



Fiber Optical Distribution Box(Outdoor)

Item No	Description
LW-3465	With 16PCS Water-Proof SC Adaptor(HUA WEI Type)

- ◎ Size:380(L) x 245(W) x 145(H)mm
- ◎ With 4pcs 12C/24C tray

LW-3483




144C/288C Fiber Optical Outdoor FTTH Box

Item No	Description
LW-3483	With 12PCS 12C/24C Tray

- ◎ Size:380(L) x 245(W) x 130(H)mm

LW-3414



Fiber Optical Distribution Box(With 24Hole fiber cable)

Item No	Description
LW-3414A	With Gap For FTTH Drop Cable 2.0x3.0mm(LW-3050J)

- ◎ Size:380(L) x 245(W) x 145(H)mm
- ◎ With 6pcs 12C/24C tray



LW-3484



Fiber Optical Distribution Box(With 8PCS SC Adaptor)

Item No	Description
LW-3484	With 8PCS SC Adaptor(HUA WEI Type)

- ◎ Size:380(L) x 245(W) x 130(H)mm
- ◎ With 4PCS 12C/24C Tray

LW-3485



Fiber Optical Distribution Box(With 32Hole fiber cable)

Item No	Description
LW-3485A	With Gap For FTTH Drop Cable 2.0x3.0mm(LW-3050J)

- ◎ Size:380(L) x 245(W) x 145(H)mm
- ◎ With 6pcs 12C/24C tray



LW-3486



16C Fiber Optic Outdoor FTTH Box

Item No	Description
LW-3486	For 16pcs SC simplex adaptor

LW-3487



12C Fiber Optic Outdoor FTTH Box (With 8Hole fiber cable)

Item No	Description
LW-3487	12C Fiber Optic Outdoor FTTH Box

⊙With 1pcs 6C/12C splicing tray



Water-Proof Hole With 1PC Simplex SC Adaptor

8PCS Water-Proof Hole With 8PCS Simplex SC Adaptor

LW-3488



36C Fiber Optic Outdoor FTTH Box (With 8Hole fiber cable)

Item No	Description
LW-3488	36C Fiber Optic Outdoor FTTH Box

⊙With 3pcs 6C/12C splicing tray



Water-Proof Hole With 1PC Simplex SC Adaptor

8PCS Water-Proof Hole With 8PCS Simplex SC Adaptor

LW-3489



48C Fiber Optic Outdoor FTTH Box (With 16Hole fiber cable)

Item No	Description
LW-3489	48C Fiber Optic Outdoor FTTH Box

⊙With 2pcs 12C/24C splicing tray



Water-Proof Hole With 1PC Simplex SC Adaptor

LW-3490




64C/128C Fiber Optic Outdoor FTTH Box

Item No	Description
LW-3490	With 8pcs 8C/16C Tray

⊙Size:390(L) x 160(W) x 115(H)mm
 ⊙With 8pcs 8C/16C splicing tray

8C/16C Tray(Total 8PCS Tray)

LW-3491




128C/256C Fiber Optic Outdoor FTTH Box

Item No	Description
LW-3491	With 8pcs 16C/32C Tray

⊙Size:550(L) x 270(W) x 100(H)mm
 ⊙With 8pcs 16C/32C splicing tray

16C/32C Tray (Total 8PCS Tray)

LW-3464-32C



32 Cores Indoor FTTH BOX

Item No	Description
LW-3464-32C	32 Cores Indoor FTTH BOX

⊙With 4PCS 8Cores Splicing Tray
 ⊙Size:320(L) x 150(W) x 105(H)mm

8Cores Splicing Tray

8C Splicing Tray (Total 4PCS Tray)

For 32PCS Simplex SC Adaptor

LW-3464-48C



48 Cores Indoor FTTH BOX

Item No	Description
LW-3464-48C	48 Cores Indoor FTTH BOX

⊙With 6PCS 8Cores Splicing Tray
 ⊙Size:450(L) x 150(W) x 180(H)mm

8Cores Splicing Tray

8C Splicing Tray (Total 6PCS Tray)

For 48PCS Simplex SC Adaptor

LW-3113



Fiber Optic Splice Closure

Item No	Description
LW-3113-24C	24 Cores With 2PCS Splicing Tray

- ◎Plastic Mater:PC
- ◎Size: 280(L)x175(D)x80(H)mm

LW-3162



Fiber Optic Splice Closure

Item No	Splice Capacity(Core)
LW-3162-24C	24 Cores With 2PCS Splicing Tray
LW-3162-48C	48 Cores With 2PCS Splicing Tray (1 Slot Can Fix 2 Core Splicing Sleeve)

- ◎Size: 340(L)x150(D)x70(H)mm
- ◎Plastic Mater:PC

LW-3221



Fiber Optic Splice Closure

Item No	Description
LW-3221-24C	24 Cores With 2PCS Splicing Tray
LW-3221-48C	48 Cores With 4PCS Splicing Tray
LW-3221-96C	96 Cores With 4PCS Splicing Tray (1 Slot Can Fix 2 Core Splicing Sleeve)

- ◎Size: 340(L)x150(D)x70(H)mm
- ◎Plastic Material:PC

LW-3188



Fiber Optic Splice Closure

Item No	Description
LW-3188A-24C	24 Cores With 2PCS 12C Splicing Tray
LW-3188B-48C	48 Cores With 4PCS 12C Splicing Tray
LW-3188C-96C	96 Cores With 4PCS 24C Splicing Tray

- ◎Size:450x220x110mm
- ◎Plastic Mater:PC

LW-3014(D/E)



Fiber Optic Splice Closure

Item No	Description
LW-3014D-24C	24 Cores With 2PCS 12C Splicing Tray
LW-3014E-48C	48 Cores With 4PCS 12C Splicing Tray

- ◎The Core Capacity Of Each Splice tray is 12Cores
- ◎Plastic Material:PC
- ◎Using Life>30Years
- ◎MADIDI TYPE

LW-3301A



Fiber Optic Splice Closure

Item No	Description
LW-3301A-48C	48 Cores With 2PCS Splicing Tray
LW-3301A-72C	72 Cores With 3PCS Splicing Tray
LW-3301A-96C	96 Cores With 4PCS Splicing Tray

- ◎The Core Capacity Of Each Splice tray is 24Cores
- ◎When Order,Please Mark The Capacity Of F/O Case
- ◎Plastic Mater:PP
- ◎Using Life>30Years
- ◎Size:440x210x90mm
- ◎2 hole entry, 2 hole exit

LW-3268



Fiber Optic Splice Closure

Item No	Description
LW-3268-48C	48 Cores With 2PCS Splicing Tray
LW-3268-72C	72 Cores With 3PCS Splicing Tray
LW-3268-96C	96 Cores With 4PCS Splicing Tray

- ◎Size:445x220x110mm
- ◎Plastic Mater:PC

LW-3301B




Fiber Optic Splice Closure

Item No	Description
LW-3301B-48C	48 Cores With 2PCS Splicing Tray
LW-3301B-72C	72 Cores With 3PCS Splicing Tray
LW-3301B-96C	96 Cores With 4PCS Splicing Tray

- ◎The Core Capacity Of Each Splice tray is 24Cores
- ◎When Order,Please Mark The Capacity Of F/O Case
- ◎Plastic Mater:PP
- ◎Using Life>30Years
- ◎Size:440x210x90mm
- ◎3 hole entry, 3 hole exit

LW-3305



Fiber Optic Splice Closure

Item No	Description
LW-3305-24C	24 Cores With 1PC Splicing Tray
◎Size:248x156x33mm	

LW-3187



6C or 12C Tray
Wall mounted type
For LW-3187

For screw on the wall

Fiber Optic Splice Closure

Item No	Description
LW-3187A	24 Cores With 4PCS 6C Splicing Tray
LW-3187B	48 Cores With 4PCS 12C Splicing Tray
◎Size:280x200x90mm	
◎For Both Wall Mounted and Aerial hinged type	

Aerial hinged type
For LW-3187

steel hook

LW-3448



48C Fiber Optic Splice Closure

Item No	Description
LW-3448-24C	With 2PCS 12C Tray
LW-3448-48C	With 2PCS 24C Tray
◎Size:325x90mm	
◎With 2pcs 12C/24C Fiber tray	

LW-3449




48C Fiber Optic Splice Closure

Item No	Description
LW-3449-48C	With 2PCS 24C Tray
◎Size:335x105mm	
◎With 2pcs 24C Fiber tray	

Fiber Optic Splice Closure

LW-08V3



Heat Shrinkable Tube Type

LW-08VM3



mechanical sealing type
(screw sealing type)



1 Slot Also Can Fix 2 Core Splicing Sleeve,
So The Tray Also Act AS 12 Cores

Metal Hoop

6C tray(110mmx92mmx10mm)

Ordering information

Model number	Description	Cable Entry and Size
LW-08V3-24C	With 4Pcs of 6C Tray(1 Slot of Tray fix 1Pcs Splicing Sleeve, with 6Pcs Splicing Sleeve)	3 small round ports(ϕ 16mm) and 1 large oval port(ϕ 20mm)
LW-08V3-48C	With 4Pcs of 6C Tray(1 Slot of Tray fix 2Pcs Splicing Sleeve, with 12Pcs Splicing Sleeve)	
LW-08VM3-24C	With 4Pcs of 6C Tray(1 Slot of Tray fix 1Pcs Splicing Sleeve, with 6Pcs Splicing Sleeve)	4 round ports(screw sealing type)
LW-08VM3-48C	With 4Pcs of 6C Tray(1 Slot of Tray fix 2Pcs Splicing Sleeve, with 12Pcs Splicing Sleeve)	

*When you order please indicate with or without metal hoop and Metal Fitting

LW-08V4



Heat Shrinkable Tube Type

LW-08VM4



mechanical sealing type
(screw sealing type)



1 Slot Also Can Fix 2 Core Splicing Sleeve,
So The Tray Also Act AS 24 Cores
12C tray(230mmx92mmx10mm)

Metal Hoop

Ordering information

Model number	Description	Cable Entry and Size
LW-08V4-48C	With 4Pcs of 12C Tray(1 Slot of Tray fix 1Pcs Splicing Sleeve, with 12Pcs Splicing Sleeve)	3 small round ports and 1 large oval port
LW-08V4-96C	With 4Pcs of 12C Tray(1 Slot of Tray fix 2Pcs Splicing Sleeve, with 24Pcs Splicing Sleeve)	
LW-08VM4-48C	With 4Pcs of 12C Tray(1 Slot of Tray fix 1Pcs Splicing Sleeve, with 12Pcs Splicing Sleeve)	4 round ports(screw sealing type)
LW-08VM4-96C	With 4Pcs of 12C Tray(1 Slot of Tray fix 2Pcs Splicing Sleeve, with 24Pcs Splicing Sleeve)	

*When you order please indicate with or without metal hoop and Metal Fitting

LW-3025A



Fiber Optic Splice Closure

Item No	Description
LW-3025A-48C	With 2PCS 24C Splicing Tray
LW-3025A-72C	With 3PCS 24C Splicing Tray
LW-3025A-96C	With 4PCS 24C Splicing Tray

◎Size:480x150mm
 ◎With 2pcs metal clamp and metal hoop
 ◎if you need 48core (with 2pcs 24C splicing tray)it is available

LW-3025B



Fiber Optic Splice Closure

Item No	Description
LW-3025B-48C	With 2PCS 24C Splicing Tray
LW-3025B-72C	With 3PCS 24C Splicing Tray
LW-3025B-96C	With 4PCS 24C Splicing Tray

◎Size:480x150mm
 ◎With 2pcs metal clamp and metal hoop
 ◎if you need 48core (with 2pcs 24C splicing tray)it is available

LW-3190



Fiber Optic Splice Closure

Item No	Description
LW-3190A-96C	96Cores With 4PCS 24C Splicing Tray(Type A)
LW-3190A-144C	144Cores With 6PCS 24C Splicing Tray(Type A)
LW-3190B-144C	144Cores With 4PCS 36C Splicing Tray(Type B)

◎Size:550x155mm
 ◎Plastic Mater:PP

LW-3492



Fiber Optic Splice Closure

Item No	Description
LW-3492	96Cores With 4PCS 24C Splicing Tray

◎Size:460x140mm
 ◎Plastic Mater:PP

LW-3493A



144C/288C Fiber Optic Splice Closure

Item No	Description
LW-3493A	144C/288C With 6PCS 24C/48C Splicing Tray

◎Size:450x185mm

LW-3493B



144C/288C Fiber Optic Splice Closure

Item No	Description
LW-3493B	144C/288C With 6PCS 24C/48C Splicing Tray

◎Size:450x185mm
 ◎With metal clamp

LW-3494



288C Fiber Optic Splice Closure

Item No	Description
LW-3494A	Without metal clamp and metal hoop
LW-3494B	With metal clamp and metal hoop

◎Size:510x220mm
 ◎With 12PCS 24C Splicing Tray

LW-3227



4C FTTH Metal Box

Item No	Description
LW-3227A-4C	For 4PCS SC Simplex Adaptor
◎Size:140x105x30mm	

LW-3228



8C FTTH Metal Box

Item No	Description
LW-3228A-8C	For 8PCS SC Simplex Adaptor

LW-3229



16C FTTH Metal Box

Item No	Description
LW-3229A-16C	For 16PCS SC Simplex Adaptor
◎Size:220x200x40mm	

LW-3038



12Core(24) Fiber Optic Box(Wall-Mount Type)

Item No	Description
LW-3038A-S-SC	12C Box With Panel For 12Pcs Simplex SC Adaptor
LW-3038A-D-SC	12C Box With Panel For 6Pcs Duplex SC Adaptor
LW-3038B-S-SC	24C Box With Panel For 24Pcs Simplex SC Adaptor
LW-3038B-D-SC	24C Box With Panel For 12Pcs Duplex SC Adaptor
◎ Colour: Light Grey	
◎ 12Core Box Size:275(W)x225(H)x55(D)mm	
◎ 24Core Box Size:265(W)x254(H)x65(D)mm	


LW-3450



Fiber Optic Metal Box(Wall Mount Type)

Item No	Description
LW-3450-12C	12core(With Panel For 12Pcs SC Adaptor)
LW-3450-24C	24core(With Panel For 24Pcs SC Adaptor)
◎Size:392(W)x289(H)x56(D)mm	


LW-3451



Fiber Optic Metal Box(Wall Mount Type)

Item No	Description
LW-3451-24C	24core(With Panel For 24Pcs SC Simplex Adaptor)
◎Size:370(W)x350(H)x80(D)mm	

LW-3157



FTTH Metal Box (Outdoor)

Item No	Description
LW-3157A-24C	For 24C FTTH Cable 410(W) x 450(H) x 90(D)mm
LW-3157B-48C	For 48C FTTH Cable 410(W) x 450(H) x 160(D)mm
LW-3157C-72C	For 72C FTTH Cable 410(W) x 450(H) x 160(D)mm
◎ With 3Pcs PG13.5 Cable Gland	
◎ With 4Pcs Metal Mounting to fix on the wall	
◎ To Output 24 or 48 or 72Pcs Branch FTTH Cable (Our Item No:LW-3050J)	



12C FTTH Metal Box

Item No	Description
LW-3231-12C	12C FTTH Metal Box (with Front Panel for 12PCS SC Simplex Adaptor)

- Size:300(W)x300(H)x83(D)mm
- With 1pc 12C splicing tray



24C FTTH Metal Box

Item No	Description
LW-3232-24C	24C FTTH Metal Box (with Front Panel for 24PCS SC Simplex Adaptor)


- Size:400(W)x380(H)x83(D)mm
- With 2pc 12C splicing tray



48C FTTH Metal Box

Item No	Description
LW-3233-48C	48C FTTH Metal Box (with Front Panel for 48PCS SC Simplex Adaptor)


- Size:400(W)x380(H)x135(D)mm
- With 4pc 12C splicing tray



24C Fiber Optic Patch Panel

Item No	Description
LW-3124A	With Front Panel For 12Pcs ST Adaptor
LW-3124B	With Front Panel For 24Pcs ST Adaptor
LW-3124C	With Front Panel For 12Pcs SC Simplex Adaptor
LW-3124D	With Front Panel For 24Pcs SC Simplex Adaptor
LW-3124E	With Front Panel For 12Pcs SC Duplex Adaptor
LW-3124F	With Front Panel For 24Pcs SC Duplex Adaptor


- Colour: Light Grey(RAL7035) or Black
- Patch Panel with 2PCS of Splicing Tray(LW-3042A)
- With 2PCS PG13.5 cable gland and 6PCS cable tie



24C Fiber Optic Patch Panel

Item No	Description
LW-3125A	Without Front Panel For Adaptor

- Colour: Light Grey(RAL7035) or Black
- Patch Panel with 2PCS of Splicing Tray(LW-3042A)
- LW-3125 is Same as LW-3124(Without Front Panel)
- With 2PCS PG13.5 cable gland and 6PCS cable tie



Front Panel For LW-3125

Item No	Description
LW-3126A	12Pcs ST Front Panel For LW-3125
LW-3126B	24Pcs ST Front Panel For LW-3125
LW-3126C	12Pcs SC Simplex Front Panel For LW-3125
LW-3126D	24Pcs SC Simplex Front Panel For LW-3125
LW-3126E	12Pcs SC Duplex Front Panel For LW-3125
LW-3126F	24Pcs SC Duplex Front Panel For LW-3125

- Colour: Light Grey(RAL7035) or Black
- Above front panel are for LW-3125(LW-3124)
- V shape entry plate optional, if you need addition V shape entry, please indicate when you order

LW-3124 (H,I,J,K,L,M)




24C Fiber Optic Patch Panel

Item No	Description
LW-3124H	With Front Panel For 12Pcs ST Adaptor
LW-3124I	With Front Panel For 24Pcs ST Adaptor
LW-3124J	With Front Panel For 12Pcs SC Simplex Adaptor
LW-3124K	With Front Panel For 24Pcs SC Simplex Adaptor
LW-3124L	With Front Panel For 12Pcs SC Duplex Adaptor
LW-3124M	With Front Panel For 24Pcs SC Duplex Adaptor

- ⊙ Colour: **Light Grey(RAL7035)** or **Black**
- ⊙ Patch Panel with 2PCS of Splicing Tray(LW-3122)
- ⊙ With 2PCS PG13.5 cable gland and 6PCS cable tie

LW-3314(A,C,D)



24Cores F/O Patch Panel

Item No	Description
LW-3314A	With Panel for 24pcs ST Aaptor
LW-3314C	With Panel for 24pcs SC Aaptor
LW-3314D	With Panel For 12Pcs Duplex SC Adaptor

- ⊙ Colour: **Black** or **Light Grey** (Please Mark the Colour when Order)
- ⊙ The Body of panel is easy to be pulled and pushed
- ⊙ Patch Panel with 2PCS of 12C Splicing Tray(LW-3042A)
- ⊙ With 2PCS PG13.5 cable gland and 6PCS cable tie

LW-3125B




24C Fiber Optic Patch Panel

Item No	Description
LW-3125B	Without Front Panel For Adaptor

- ⊙ Colour: **Light Grey(RAL7035)** or **Black**
- ⊙ Patch Panel with 2PCS of Splicing Tray(LW-3122)
- ⊙ LW-3125 is Same as LW-3124(Without Front Panel)
- ⊙ With 2PCS PG13.5 cable gland and 6PCS cable tie

LW-3314(E,G,H,J)




24Cores F/O Patch Panel

Item No	Description
LW-3314E	With Panel for 24pcs ST Aaptor
LW-3314G	With Panel for 24pcs SC Aaptor
LW-3314H	With Panel For 12pcs Duplex SC Adaptor
LW-3314J	With Panel For 24pcs Duplex SC Adaptor

- ⊙ Colour: **Black** or **Light Grey** (Please Mark the Colour when Order)
- ⊙ The Body of panel is easy to be pulled and pushed
- ⊙ Patch Panel with 2PCS of 12C Splicing Tray(LW-3122)
- ⊙ With 2PCS PG13.5 cable gland and 6PCS cable tie

LW-3126




Front Panel For LW-3125

Item No	Description
LW-3126A	12Pcs ST Front Panel For LW-3125
LW-3126B	24Pcs ST Front Panel For LW-3125
LW-3126C	12Pcs SC Simplex Front Panel For LW-3125
LW-3126D	24Pcs SC Simplex Front Panel For LW-3125
LW-3126E	12Pcs SC Duplex Front Panel For LW-3125
LW-3126F	24Pcs SC Duplex Front Panel For LW-3125

- ⊙ Colour: **Light Grey(RAL7035)** or **Black**
- ⊙ Above front panel are for LW-3125(LW-3124)
- ⊙ V shape entry plate optional, if you need addition V shape entry, please indicate when you order

LW-3416



Front Panel For LW-3314

Item No	Description
LW-3416A	12Pcs ST Front Panel For LW-3314
LW-3416B	24Pcs ST Front Panel For LW-3314
LW-3416C	12Pcs SC Simplex Front Panel For LW-3314
LW-3416D	24Pcs SC Simplex Front Panel For LW-3314
LW-3416E	12Pcs SC Duplex Front Panel For LW-3314
LW-3416F	24Pcs SC Duplex Front Panel For LW-3314

- ⊙ Colour: Light Grey(RAL7035) or Black
- ⊙ Above front panel are for LW-3314
- ⊙ **Above front panel is easy to change for LW-3314**
- ⊙ You can order LW-3126 By seperately for LW-3314

LW-3436




24Cores F/O Patch Panel

Item No	Description
LW-3436A	With Panel for 24pcs ST Adaptor
LW-3436B	With Panel for 24pcs SC Simplex Adaptor
LW-3436C	With Panel for 12pcs SC Duplex Adaptor
LW-3436D	12Pcs ST Front Panel For LW-3436
LW-3436E	12Pcs SC Simplex Front Panel For LW-3436
LW-3436F	6Pcs SC Duplex Front Panel For LW-3436

© Colour: **Black** or **Light Grey** (Please Mark the Colour when Order)

LW-3243(A,B,C)



24Cores F/O Patch Panel

Item No	Description
LW-3243A	With Panel for 24pcs ST Adaptor
LW-3243B	With Panel for 24pcs SC Simplex Adaptor
LW-3243C	With Panel for 12pcs SC Duplex Adaptor

© Colour: **Light Grey(RAL7035)** or **Black**
 © The Patch Panel Without F/O Adaptor
 © Patch Panel with 2PCS of Splicing Tray(LW-3042A)

LW-3031(A,C,D)




24Cores F/O Patch Panel

Item No	Description
LW-3031A	With Panel for 24pcs ST Aaptor
LW-3031C	With Panel for 24pcs SC Aaptor
LW-3031D	With Panel For 12Pcs Duplex SC Adaptor

© Colour: **Black** or **Light Grey**(Please Mark the Colour when Order)
 © The Body of panel is easy to be pulled and pushed
 © Patch Panel with 2PCS of 12C Splicing Tray(LW-3042A)

LW-3243(D,E,F)




24Cores F/O Patch Panel

Item No	Description
LW-3243D	With Panel for 24pcs ST Adaptor
LW-3243E	With Panel for 24pcs SC Simplex Adaptor
LW-3243F	With Panel for 12pcs SC Duplex Adaptor

© Colour: **Black** or **Light Grey** (Please Mark the Colour when Order)
 © The Patch Panel Without F/O Adaptor
 © Patch Panel with 2PCS of Splicing Tray(LW-3122)

LW-3031(E,G,H,J)




24Cores F/O Patch Panel

Item No	Description
LW-3031E	With Panel for 24pcs ST Adaptor
LW-3031G	With Panel for 24pcs SC Adaptor
LW-3031H	With Panel for 12pcs Duplex SC Adaptor
LW-3031J	With Panel for 24pcs Duplex SC Adaptor

© Colour: **Black** or **Light Grey** (Please Mark the Colour when Order)
 © The Body of panel is easy to be pulled and pushed
 © Patch Panel with 2Pcs of 24C Splicing Tray(LW-3122)

LW-3244




Front Panel For LW-3243

Item No	Description
LW-3244A	12Pcs ST Front Panel For LW-3243
LW-3244B	12Pcs SC Simplex Front Panel For LW-3243
LW-3244C	6Pcs SC Duplex Front Panel For LW-3243

© Colour: **Light Grey(RAL7035)** or **Black**
 © Above front panel are for LW-3243

LW-3316



24Cores F/O Patch Panel

Item No	Description
LW-3316A	With Panel For 24Pcs Simplex SC Adaptor
LW-3316B	With Panel For 24Pcs ST Adaptor

© Colour: **Light Grey (RAL7035)** or **Black**

LW-3206




24Cores F/O Patch Panel

Item No	Description
LW-3206A	With Panel for 24pcs ST Adaptor
LW-3206B	With Panel for 12pcs SC Simplex Adaptor
LW-3206C	With Panel for 24pcs SC Simplex Adaptor
LW-3206D	With Panel for 12pcs Duplex SC Adaptor

© Colour: **Black**
 © The Patch Panel Without F/O Adaptor

LW-3460




Fiber Optical Patch Panel

Item No	Description
LW-3460-24C	24C For 24PCS SC adapter (Height:1U)
LW-3460-48C	48C For 48PCS SC adapter (Height:2U)
LW-3460-72C	72C For 72PCS SC adapter (Height:3U)
LW-3460-96C	96C For 96PCS SC adapter (Height:4U)

◎Material: 1.5mm Thickness STEEL

LW-3144



DIN Rail Splicing Box

Item No	Description
LW-3144A	For 6Pcs Duplex SC Adaptor
LW-3144B	For 8Pcs Simplex SC Adaptor

◎DIN Rail Fixed
 ◎Size:125x132x35mm
 ◎Material: Steel

LW-3461



16C Fiber optic pedestal box

◎Including LW-3170 16C FTTH outdoor box
 ◎Fiber Optical Pedestal is designed specifically for the housing of fiberaccess terminals to provide an additional protection to the fiber passive equipments installed.
 ◎Material: HDPE
 ◎Water-proof design with IP-55 Protection level.
 ◎Self-locking cover mechanism, with additional padlock.
 ◎Suitable for most types of FDB less than 270mm.
 ◎SIZE:289*970mm

Key lock

LW-3086



Cleaner for fiber Optic connector

◎ For cleaning Connectors: SC,FC,ST,MU,LC,MT
 ◎ Clean times:more than 500 times/cartridge
 ◎ Connector cleaner is a dry cleaning method with a quick, reliable operation and uniform results without alcohol, liquids, or gases.
 ◎ Size:125mm(L)x70mm(W)x29mm(H)

LW-3457



Cleaner for fiber Optic connector

◎ For cleaning Connectors: SC,FC,ST,MU,LC,MT
 ◎ Clean times:more than 500 times/cartridge
 ◎ Connector cleaner is a dry cleaning method with a quick, reliable operation and uniform results without alcohol, liquids, or gases.

LW-3089(A,B)



Fiber Optical Cleaning Stick

Item No	Description
LW-3089A-1.25mm	Fiber Optical Cleaning Stick(1.25mm)
LW-3089B-2.5mm	Fiber Optical Cleaning Stick(2.5mm)

◎100pcs/box
 ◎The Stick Type Connector Cleaner uses dry alcohol-free cloth, To clean LC Connector(1.25mm)
 ◎The Stick Type Connector Cleaner uses dry alcohol-free cloth, To clean ST FC SC MTRJ connector(2.5mm)

LW-3091



Clean Paper(Dry)

Item No	Description
LW-3091A	Clean Paper(Dry)
LW-3091B	Clean Paper(Dry)

◎Use to clean fiber optic connector
 ◎100pcs Paper per pack

LW-3092



IPA Wipes

Item No	Description
LW-3092	IPA Wipes

◎Use to clean fiber optic connector
 ◎Isopropyl alcohol for general purpose cleaning pre-wrapped,
 ◎pre-saturated wipes
 ◎50PCS/Box

LW-3271



One click MPO cleaner

Item No	Description
LW-3271	For MPO Fiber connector

◎For 8,12,24, Mop Connector
 ◎Cleaning time:400PCS

LW-3150



One-Click Cleaner

Item No	Description
LW-3150A-2.5mm	For 2.5mm Fiber Connector(ST/FC/SC)
LW-3150B-1.25mm	For 1.25mm Fiber Connector(LC/MU)

- © Cleaning Times:800 times
- © For Cleaning Fiber Connector(ST/FC/SC/LC/MU)
- © One-clip for one time Cleaning on F/O Connector

LW-3419A



Outer-Jacket Longitudinal Cutter

Item No	Description
LW-3419A	For strip 4.5mm,6mm,7mm,8mm,11mm fiber optical cable

LW-3272



Ergonomic scissors

Item No	Description
LW-3272	Ergonomic scissors

- © For cutting kevlar of Fiber optical Cable

LW-3419B



Loose tube Longitudinal Cutter

Item No	Description
LW-3419B	For loose tube 1.5-1.9mm, loose tube 2.0-2.4mm, loose tube 2.5-2.9mm, loose tube 3.0-3.3mm,

LW-3070



Fiber optical stripper

Item No	Description
LW-3070	Fiber optical stripper

- © For Strip Fiber optical Cable

LW-3495A



Outer-Jacket Longitudinal Cutter

Item No	Description
LW-3495A	For strip 4.0-4.5mm,5.5-6mm,6.5-7mm, 7.5-8mm,10.5-11mm fiber optical cable

LW-3160



Fiber optical stripper

Item No	Description
LW-3160	Fiber optical stripper

- © For Strip Fiber optical Cable

LW-3495B



Loose tube Longitudinal Cutter

Item No	Description
LW-3495B	For loose tube 1.5-1.9mm, loose tube 2.0-2.4mm, loose tube 2.5-2.9mm, loose tube 3.0-3.3mm, loose tube 3.5-3.8mm

LW-3139



For Strip FTTH Fiber Cable

FTTH Fiber optical stripper

Item No	Description
LW-3139	Fiber optical stripper with plastic handle

- © For Strip FTTH Fiber optical Cable(LW-3050J)

LW-3420



Cable stripper

Item No	Description
LW-3420	For strip ϕ 2-6mm Indoor Fiber cable


LW-3496



USB Socket for Power Charge

Rechargeable Visual Fault Locator

Item No	Description
LW-3496	10mW output
<ul style="list-style-type: none"> ⊙ Lithium battery 3.7V/1800mAh (6.6Wh) ⊙ Lighting LED (4 LED 50mW) ⊙ Power bank output 5V/1A ,with power display led ⊙ Finding the breakpoint,poor connections,bending or cracking in fiber optic cables. ⊙ Optical Connector:2.5mm universal connector ⊙ Power Supply:2 AA batteries ⊙ 10mw Output(Testing Distance 8-12KM) is Available 	



LW-3145



Pentype Visual Fault Locator

Item No	Description
LW-3145-5mw	5mw Output(Testing Distance 5-8KM)
LW-3145-10mw	10mw Output(Testing Distance 8-12KM)
<ul style="list-style-type: none"> ⊙ Finding the breakpoint,poor connections,bending or cracking in fiber optic cables. ⊙ Optical Connector:2.5mm universal connector ⊙ Power Supply:2 AA batteries ⊙ 10mw Output(Testing Distance 8-12KM) is Available 	

LW-3146



Turning Protector for Switch

Pentype Visual Fault Locator

Item No	Description
LW-3146-5mw	5mw Output(Testing Distance 5-8KM)
LW-3146-10mw	10mw Output(Testing Distance 8-12KM)
<ul style="list-style-type: none"> ⊙ With Turning Protector for Switch To Avoid Mistaken Action on Switch ⊙ Central Wavelength:650nm ± 10nm ⊙ Optical Connector:2.5mm universal connector ⊙ Power Supply:2 AA batteries ⊙ 10mw Output(Testing Distance 8-12KM) is Available 	

LW-3143



Pen type Visual Fault Locator

Item No	Description
LW-3143-5mw	5mw Output(Testing Distance 5-8KM)
LW-3143-10mw	10mw Output(Testing Distance 8-12KM)
<ul style="list-style-type: none"> ⊙ Finding the breakpoint,poor connections,bending or cracking in fiber optic cables. ⊙ Optical Connector:2.5mm universal connector ⊙ Power Supply:2 AA batteries 	

LW-3425



Aluminum handle

Visual Fault Locator

Item No	Description
LW-3425-1mw	1mw Output(Testing Distance 3-5KM)
LW-3425-10mw	10mw Output(Testing Distance 8-12KM)
LW-3425-20mw	20mw Output(Testing Distance 20KM)
LW-3425-30mw	30mw Output(Testing Distance 30KM)
<ul style="list-style-type: none"> ⊙ Finding the breakpoint,poor connections,bending or cracking in fiber optic cables. ⊙ Optical Connector:2.5mm universal connector ⊙ Power Supply:2 AA batteries 	

LW-3497



Fiber Cleaver

Item No	Description
LW-3497	Fiber Cleaver With Waster Fiber Box
<ul style="list-style-type: none"> ⊙ Fiber type:Single tube fiber and ribbon fiber ⊙ Cleaver length:5-30mm ⊙ Cleaver angle:0.5° ⊙ Size:60(H)x65(W)x63(D) 	

LW-3498



Fiber Cleaver

Item No	Description
LW-3498	Fiber Cleaver
<ul style="list-style-type: none"> ⊙ Fiber type:Single tube fiber and ribbon fiber ⊙ Cleaver length:5-30mm ⊙ Cleaver angle:0.5° ⊙ Size:51(H)x54(W)x58(D) 	


LW-3499



Fiber Cleaver

Item No	Description
LW-3499	Fiber Cleaver With Waster Fiber Box
<ul style="list-style-type: none"> ⊙ Fiber type:Single tube fiber and ribbon fiber ⊙ Cleaver length:5-30mm ⊙ Cleaver angle:0.5° ⊙ Size:50(H)x58(W)x57(D) 	

LW-3428



Fiber Cleaver

Item No	Description
LW-3428	Fiber Cleaver
<ul style="list-style-type: none"> ⊙ Fiber type: Single tube fiber and ribbon fiber ⊙ Cleaver length: 5-30mm ⊙ Cleaver angle: 0.5° ⊙ Size: 55(H)x59(W)x58(D) 	


LW-3245



Fiber Cleaver

Item No	Description
LW-3245	Fiber Cleaver
<ul style="list-style-type: none"> ⊙ Fiber type: Single tube fiber and ribbon fiber ⊙ Cleaver length: 5-30mm ⊙ Cleaver angle: 0.5° ⊙ Size: 55(H)x59(W)x58(D) 	


LW-3246



Fiber Cleaver

Item No	Description
LW-3246	Fiber Cleaver
<ul style="list-style-type: none"> ⊙ Fiber type: Single tube fiber and ribbon fiber ⊙ Cleaver length: 5-30mm ⊙ Cleaver angle: 0.5° ⊙ Size: 61(H)x63(W)x65(D) 	

LW-3247



Fiber Cleaver

Item No	Description
LW-3247	Fiber Cleaver
<ul style="list-style-type: none"> ⊙ Fiber type: Single tube fiber and ribbon fiber ⊙ Cleaver length: 5-30mm ⊙ Cleaver angle: 0.5° ⊙ Size: 61(H)x63(W)x65(D) 	

LW-3053



LW-3053A Optical power meter
Measurement range: -50~+26dbm
 ⊙ With SC and FC Adaptor
 ⊙ If you need -70~+6dbm, we can also supply

LW-3054



LW-3054A Optical light source For 1310/1550 wavelength
LW-3054C Optical light source For 850/1300/1310/1550 wavelength
 ⊙ With SC Adaptor and FC Adaptor

LW-3421



LW-3421A Optical power meter
Measurement range: -50~+26dbm(a type)
 ⊙ With FC and SC Adaptor
 ⊙ Size: 130mmx63mmx29mm
 ⊙ If you need -70~+10dbm, we can also supply

LW-3422



LW-3422A Optical Light Source For 1310/1550nm wavelength (SC type)
LW-3422C Optical Light Source For 850/1300nm wavelength (SC type)
 ⊙ Size: 130mmx63mmx29mm

LW-3500



LW-3500 Optical Power Meter
Measurement range: -50~+26dBm(a type)
 ⊙ With FC and SC Adaptor
 ⊙ Size: 130mmx63mmx24mm
 ⊙ If you need -70~+10dbm, we can also supply

LW-3501



LW-3501 Optical Power Meter
Measurement range: -50~+26dBm(a type)
 ⊙ With FC and SC Adaptor
 ⊙ Size: 175mmx85mmx40mm
 ⊙ If you need -70~+10dbm, we can also supply

LW-3459



Optical Power Meter+VFL

Item No	Description
LW-3459A	10mW VFL & Power Meter Measurement range: -50~+26dBm
<ul style="list-style-type: none"> ⊙ If you need -70~+6dbm, we can also supply 	

LW-3502



Mini-Pro OTDR

Main Features:

- ◎ The tester also combine 8 functions with highly integrated OTDR, Event maps, Stable Light source, Optical power meter, Visual fault locator.
- ◎ Testing Sequence of Lan Cable, Testing Length of Lan Cable.
- ◎ It could quick detection of breakpoint, universal connector, 600 internal storage, USB data storage and built-in 4000mAh lithium battery, USB charging.

Testing wavelength	1310/1550nm
Dynamic range	24/22dB
Event Dead Zone	3m
Test Range	500m-60km
Display	3.5 inch LCD screen
Data Interface	Micro USB
Battery Working	Continuous test > 12h
Size	170×75×35mm

LW-3504



Fiber Optical Tool Kit

Description	Purpose
Fiber Cleaver	For Cleave Fiber Optical Cable(LW-3497)
FTTH Stripper	For Strip FTTH Cable
Visual Fault Locator	For Find the Break Point
Power Meter	For Measure Power of the Light
Fiber Optical Stripper	Strip Fiber cable
Alcohol pump bottle	Store alcohol
Fiber length setter	For Cleave Fiber Optical Cable

◎ Size of Tool Kit: 250x140x185mm



LW-3503



RJ45 Remote Part For Testing Lan Cable



Multi-function OTDR

Main Features:

- ◎ Standard configuration: Auto OTDR, expert OTDR, event map, OPM, Light Source, VFL, Lan cable tracker(Including line finder), Lan cable sequence, Lan cable length, flashlight, optical loss test.
- ◎ Expert OTDR: Professional measurement, curve/list/map are displayed simultaneously.
- ◎ Auto OTDR: no complex settings, one key test Optical Power Meter supports CW/270/330/1k/2kHz frequency identification Light Source supports CW/ modulation mode output with adjustable output power.
- ◎ VFL and LS can run in the background, multi-task can be operated simultaneously Lan cable tracker of digital radar, stronger anti-jamming ability Lan cable sequence cable length test, up to 300m

Testing wavelength	1310/1550nm
Dynamic range	24/22dB
Event Dead Zone	2.5m
Test Range	500m-60km
Display	4.3 inch Multi touch capacitive touching screen
Data Interface	USB Type C
Internal Storage	8GB>20 thousand curves
Storage Battery Working	Continuous test > 12h
Size	170×105×44mm

LW-3505



Fiber Optical Tool Kit

Description	Purpose
Fiber Cleaver	For Cleave Fiber Optical Cable(LW-3499)
FTTH Stripper	For Strip FTTH Cable
Visual Fault Locator	For Find the Break Point
Power Meter	For Measure Power of the Light
Fiber Optical Stripper	Strip Fiber cable
Alcohol pump bottle	Store alcohol
Fiber length setter	For Cleave Fiber Optical Cable

◎ Size of Tool Kit: 250x140x185mm



LW-3057



Fibre Optical Tool Kit

Description	Purpose
Fiber coat stripper	Peeling the coat of fiber
Transverse	Transverse peeling fiber cable
Assembled screw driver	Tightening the bolts
Mini screw driver	Tightening the screw
Monkey wrench	Tightening the bolts
Paper knife	Cutting
Piano wire clamp	Cutting powerful core of the fiber cable
Steel wire clamp	Accessories tool for peeling cable
Diagonal cutting pliers	Accessories tool for peeling cable
Acuate clamp	Accessories tool for peeling cable
Alcohol pump bottle	Store alcohol
Bundle clamp	Peeling the bundle
Head lamp	Using at night
Tapeline	Counting the length of cable
Nipper	Coiling fiber
Scissors	Coiling fiber
Mark pen	Marking
Cleaning air ball	Cleaning the lens of fusion splicer

LW-3325



Fiber check & Clean kit

Item No	Description
LW-3325A	with 3.5 inch monitor
LW-3325B	with 3.5 inch memory monitor(with 8G TF card)
3.5 Inch TFT-LCD 320x240 Pixels monitor	
400X inspection probe (including 4 kinds of fiber adaptor:2.5mm male, 2.5mm female,1.25mm male,1.25mm female adaptor)	
LW-3150A: 2.5mm one click cleaner	
LW-3150B:1.25mm one click cleaner	
LW-3457:cleaner for fiber optical connector	
LW-3458:replacement reel for LW-3457	
© SIZE:275X230X80mm	



LW-3248B



Fiber Optical Tool Kit

Description	Purpose
FTTH Stripper	For Strip FTTH Cable
Visual Fault Locator	For Find the Break Point
Fiber Cleaver	For Cleave Fiber Optical Cable
Power Meter	For Measure Power of the Light
Fiber cleaner	For Fiber Optic connector
Fiber Optical Stripper	Strip Fiber cable
Alcohol pump bottle	Store alcohol
One-Click Cleaner	For 2.5mm Fiber Connector(ST/FC/SC)
One-Click Cleaner	For 1.25mm Fiber Connector(LC)
Ergonomic scissors	For cutting kevlar of Fiber optical cable

©Size: 450x400x120mm



LW-3326



Fiber Optical Tool Kit

Description	Purpose
Microscope	For Fiber Connector
Clean Paper	For Cleave Fiber Optical Cable
Fiber cleaner	For Fiber Optic connector
Alcohol pump bottle	Store alcohol
One-Click Cleaner	For 1.25mm Fiber Connector(LC)
One-Click Cleaner	For 2.5mm Fiber Connector(ST/FC/SC)
Replacement reel	For Fiber Cleaner





Fusion Splicer With Fiber Cleaver

Main Features:

- ◎ 5 inches high Resolution colorful LCD display
- ◎ Average splice time: 6 second
- ◎ Average tube-heat time: 15 second
- ◎ Lithium battery: up to 240 times of continuous splice and heat
- ◎ Simultaneous X and Y views with 300/150 times magnification
- ◎ New developed technology providing wind and dust resistance
- ◎ Splicing mode: Auto & Manual & Full-Automation
- ◎ USB Port
- ◎ Storing 6,000 groups of splice results.
- ◎ Multipurpose optical fiber fixture (Such as: Rubber-insulated wire, fiber optic patch cord, bare fiber)

Specifications

Applicable Fibers	SM, MM, NZ-DS, EDF ,Pigtail, Rubber-insulated wire Series
Average Splice Loss	0.025dB(SM), 0.01dB(MM), 0.04dB(NZDS),
Return Loss	≥60dB
Tension Test	2.0N(200gf) (Standard)
Splicing Program	50 groups
Protection Sleeve Length	40mm, 60mm
Language	English
Environmental Conditions	-10~+50℃(operation temperature),0~95% RH(humidity), 0~5000m(altitude)
Power SupplyAC adaptor	100~240V input voltage, 50/60Hz; 13.5V, 4A output voltage(DC)
DC adaptor	12V voltage 8AH
Dimensions	130(W)x148(D)x122(H)

Standard Package

No.	Item	Quantity
1	Machine	1
2	Fiber Cleaver	1
3	Fiber Stripper	1
4	AC Adaptor	1
5	Battery	1
6	Charger	1
7	Spare Electrodes	1
8	Cooling Tray	1
9	Instruction CD	1
10	Quick Reference Guide	1
11	Transit Case with Carrying Strap	1



Fusion Splicer With Fiber Cleaver

Main Features:

- ◎ 5 inches high Resolution colorful LCD display
- ◎ Average splice time: 9 second
- ◎ Average tube-heat time: 30 second
- ◎ Lithium battery: up to 200 times of continuous splice and heat
- ◎ Simultaneous X and Y views with 300/200 times magnification
- ◎ New developed technology providing wind and dust resistance
- ◎ Splicing mode: Auto & Manual & Full-Automation
- ◎ USB Port
- ◎ Storing 6,000 groups of splice results.
- ◎ Multipurpose optical fiber fixture (Such as: Rubber-insulated wire, fiber optic patch cord, bare fiber)

Specifications

Applicable Fibers	SM, MM, NZ-DS, EDF ,Pigtail, Rubber-insulated wire Series
Average Splice Loss	0.02dB(SM), 0.01dB(MM), 0.04dB(NZDS), 0.04dB(EDF)
Return Loss	≥60dB
Tension Test	2.0N(200gf) (Standard)
Splicing Program	50 groups
Protection Sleeve Length	40mm, 60mm
Language	English
Environmental Conditions	-10~+60℃(operation temperature),0~95% RH(humidity), 0~5000m(altitude)
Power SupplyAC adaptor	100~240V input voltage, 50/60Hz; 13.5V, 4A output voltage(DC)
DC adaptor	12V voltage 8AH
Dimensions	135(W)x158(D)x155(H)

Standard Package

No.	Item	Quantity
1	Machine	1
2	Fiber Cleaver	1
3	Fiber Stripper	1
4	AC Adaptor	1
5	Battery	1
6	Charger	1
7	Spare Electrodes	1
8	Cooling Tray	1
9	Instruction CD	1
10	Quick Reference Guide	1
11	Transit Case with Carrying Strap	1



Fusion Splicer

Item No	Description
LW-3429-AI-8C	Fusion Splicer
LW-3429-AI-9	Fusion Splicer With Additional Function: Power Meter and VFL

Main Features:

- ◎4.3 inches high Resolution colorful LCD display
- ◎Average splice time: 8 second
- ◎Average tube-heat time: 28 second
- ◎Lithium battery: up to 300 times of continuous splice and heat
- ◎Simultaneous X and Y views with 300/150 times magnification
- ◎New developed technology providing wind and dust resistance
- ◎Splicing mode: Auto & Manual & Full-Automation
- ◎USB Port
- ◎Storing 8,000 groups of splice results.
- ◎Multipurpose optical fiber fixture (Such as: Rubber-insulated wire, fiber optic patch cord, bare fiber)

Specifications

Applicable Fibers	SM, MM, NZ-DS, EDF ,Pigtail, Rubber-insulated wire Series
Average Splice Loss	0.2dB(SM), 0.01dB(MM), 0.04dB(NZDS),0.04dB(EDF)
Return Loss	≥60dB
Tension Test	2.0N(200gf) (Standard)
Splicing Program	50 groups
Protection Sleeve Length	40mm, 60mm
Language	English
Environmental Conditions	-10~+60℃(operation temperature),0~95% RH(humidity), 0~5000m(altitude)
Power SupplyAC adaptor	100~240V input voltage, 50/60Hz; 12V, 5A output voltage(DC)
DC adaptor	12V voltage 8AH
Dimensions	200(W)x130(D)x98(H)

Standard Package

No.	Item	Quantity
1	Machine	1
2	Fiber Cleaver	1
3	Fiber Stripper	1
4	AC Adaptor	1
5	Battery	1
6	Charger	1
7	Spare Electrodes	1
8	Cooling Tray	1
9	Instruction CD	1
10	Quick Reference Guide	1
11	Transit Case with Carrying Strap	1



5 inch touch screen

Fusion Splicer With Fiber Cleaver

Main Features:

- ◎5 inch touch screen for easy operation
- ◎Splice Time: 9S (Typical Mode) 7S (Fast Mode)
- ◎Heating Time: 10-23S adjustable
- ◎Magnification Time: X/Y (200 times) X or Y (400 times)
- ◎Size:146mm×131mm×152mm


Specifications

Applicable Fibers	SM, MM, NZ-DS, EDF ,Pigtail, Rubber-insulated wire Series
Average Splice Loss	0.2dB(SM), 0.01dB(MM), 0.04dB(NZDS),0.04dB(EDF)
Return Loss	≥60dB
Tension Test	2.0N(200gf) (Standard)
Protection Sleeve Length	40mm, 60mm
Language	English
Environmental Conditions	-10~+60℃(operation temperature),0~95% RH(humidity), 0~5000m(altitude)
Power SupplyAC adaptor	100~240V input voltage, 50/60Hz; 12V, 5A output voltage(DC)

Standard Package

No.	Item	Quantity
1	Fusion Splicer	1
2	Fiber Cleaver	1
3	Carrying Case	1
4	Fiber Stripper	1
5	FTTH Cable Stripper	1
6	Multi-Function Fiber Holder	1
7	Power Adaptor	1
8	AC Power Line	1
9	Alcohol Bottle	1
10	Cooling Tray	1
11	Dust Blowing Ball	1
12	Tweezer	1

LW-3242




PLC Splitter Tray SC Type

Item No	Description
LW-3242A	1x8 PLC Splitter Type(SC UPC Type)
LW-3242B	1x8 PLC Splitter Type(SC APC Type)
LW-3242C	1x16 PLC Splitter Type(SC UPC Type)
LW-3242D	1x16 PLC Splitter Type(SC APC Type)

◎ 1x4 PLC splitter is available

LW-3073



Tube Type (Blockless) PLC Splitter


Item No	Description
LW-3073A	1xN SC UPC Connector type (N=4, 8, 16, 32)
LW-3073B	1xN LC UPC Connector type (N=4, 8, 16, 32)

◎ 2xN is available


◎ Input/output fiber diameter: 0.9mm

◎ Input fiber length: 1m or as per customer's request

◎ Output fiber length: 1m or as per customer's request



LW-3074



PLC Splitter Module

Item No	Description
LW-3074A	1xN SC UPC Connector type (N=4, 8, 16, 32)
LW-3074B	1xN LC UPC Connector type (N=4, 8, 16, 32)

◎ Input/output fiber diameter: 2.0mm (or 3.0mm)

◎ Input fiber length: 1.5m or as per customer's request

◎ Output fiber length: 1.5m or as per customer's request

◎ The size of 1x4, 1x8 PLC Splitter module: 100x80x9mm (LxWxH)

◎ The size of 1x16 PLC Splitter module: 120x80x18mm (LxWxH)

◎ The size of 1x32 PLC Splitter module: 140x114x18mm (LxWxH)

Specification For PLC Splitter (LW-3073 and LW-3074)

Item	Standard			Flatness			Wide type		
	1x4	1x8	1x16	1x4	1x8	1x16	1x4	1x8	1x16
CW	1310 or 1550			1310 or 1550			1310 and 1550		
Band width(nm)	± 20			4#			± 40		
Type	1x4	1x8	1x16	1x4	1x8	1x16	1x4	1x8	1x16
Typical IL(dB)	6.3	9.4	12.6	6.3	9.4	12.6	6.3	9.4	12.6
Max. IL(dB)	7.1	10.6	14.3	7.6	11.5	14.6	7.7	11.7	15.5
Ripple(dB)	0.7	1.0	1.3	1.5	2.2	3.0	1.9	2.8	3.7

*Direction(dB): >60 Working temps (°C) : -40~+75 Storage temps (°C) : -40~+85 Standard: Telcordia GR-1221-CORE

Fiber Specification

Fiber Type multimode	Max Attenuation(db/km)	
	850nm	1300nm
50/125um	≤ 3.0	≤ 1.0
62.5/125um	≤ 3.5	≤ 1.0

Fiber Type multimode	Max Attenuation(db/km)	
	1310nm	1550nm
50/125um	≤ 3.0	≤ 1.0
62.5/125um	≤ 3.5	≤ 1.0

When Order Fiber Optic Cable, Please Mark: Singlemode Or Multimode (50/125um Or 62.5/125um)


LW-3050A



GYXTW TYPE FIBER OPTICAL CABLE

Order information:

Core of fiber	4C, 6C, 8C, 12C
type of fiber	9/125 μ m, 50/125 μ m, 62.5/125 μ m
Packing	1KM/Reel, 2KM/Reel, 3KM/Reel as usual



Fiber
Jelly
Loose tube

strengthen steel wire
PE outer sheath
Water blocking tape
Corrugated steel tape


LW-3050B



GYTS TYPE FIBER OPTICAL CABLE

Order information:

Core of fiber	4C, 8C, 12C, 24C, ... 48C, ... 96C, ... 144C
Type of fiber	9/125 μ m, 50/125 μ m, 62.5/125 μ m
Packing	1KM/Reel, 2KM/Reel, 3KM/Reel as usual



Fiber
Jelly
Loose Tube
Central strengthen member
Filler
Jelly filling compound
Water blocking tape
Corrugated steel tape
PE outer sheath

LW-3050C




GYFTY Type Fiber Optical Cable

Order information:

Core of fiber	4C,8C,12C,24C,...48C,...96C,...144C
Type of fiber	9/125 μ m,50/125 μ m,62.5/125 μ m
Packing	1KM/Reel,2KM/Reel,3KM/Reel as usual

© LW-3050C is Non-metal Type



LW-3050L




GYXTC8S Optical Fiber Cable

Order information

Core of fiber	4C,6C,8C,12C
type of fiber	9/125 μ m,50/125 μ m,62.5/125 μ m
Packing	1KM/Reel,2KM/Reel,3KM/Reel as usual

©Max. Fiber Optical Cores:12 Cores



Cross- section drawing

LW-3050G




GYTY53 Type Fiber Optical Cable

Single armored and double jacket type


Usable in direct burial or aerial

Order information:

Core of fiber	4C,8C,12C,24C,...48C,...96C,...144C
Type of fiber	9/125 μ m,50/125 μ m,62.5/125 μ m
Packing	1KM/Reel,2KM/Reel,3KM/Reel as usual



LW-3050H




Access Fiber Optical Cable

Usable in fiber optic access project

Order information:

Core of fiber	4C,6C,8C,12C
type of fiber	9/125 μ m,50/125 μ m,62.5/125 μ m
type of Jacket	LSZH
Packing	1KM/Reel,2KM/Reel,3KM/Reel as usual

© Please Note the Colour of Jacket:Black or Blue




LW-3050K



GYTC8S Optical Cable


Order information

Core of fiber	4C,8C,12C,24C,...48C,...96C,...144C
Type of fiber	9/125 μ m,50/125 μ m,62.5/125 μ m
Packing	1KM/Reel,2KM/Reel,3KM/Reel as usual



Cross- section drawing


LW-3050J



FTTH Fiber Optical Cable

Order information:

Core of fiber	2C,4C
Type of fiber	G657A1 or G657A2
Packing	1KM/Reel,2KM/Reel, as usual
Colour of cable	White or Black




LW-3050M



Self-Supporting FTTH Cable

Order information:

Core of fiber	2C(9/125um)
Type of fiber	G657A1
Packing	1KM/Reel,2KM/Reel,as usual



LW-3050S



Indoor Fiber Optical Mini Cable

Order information:

Core of fiber	2C, 4C, 6C, 8C, 12C, 24C
type of fiber	9/125 μ m(657A1), 50/125 μ m, 62.5/125 μ m
Packing	1KM/Reel, 2KM/Reel, 3KM/Reel as usual

© Outer Jacket: 3.0mm LSZH

LW-3050D




GJFJV Type Optical Cable

Order information:

Core of fiber	2C, 4C, 6C, 8C, 12C
Type of fiber	9/125 μ m, 50/125 μ m, 62.5/125 μ m
Type of jacket	PVC OR LSZH
Packing	1KM/Reel, 2KM/Reel, as usual

© Colour of outer jacket: yellow, orange or blue

LW-3050T




Fiber Optical Flat Cable

Order information:

Core of fiber	2C, 4C, 6C, 8C, 12C
type of fiber	9/125 μ m(652D or 6571A)
Packing	2KM/Reel, 3KM/Reel as usual

© Size of Outer Jacket: 5x9mm (PE jacket)

LW-3050E/F



Fiber Optical Cable (For Patch Cord)

Item No	Description
LW-3050E-9/125	Single Core Single-Mode(9/125) F/O Cable
LW-3050E-50/125	Single Core Multi-Mode(50/125) F/O Cable
LW-3050E-62.5/125	Single Core Multi-Mode(62.5/125) F/O Cable
LW-3050F-9/125	Dual Core Single-Mode(9/125) F/O Cable
LW-3050F-50/125	Dual Core Multi-Mode(50/125) F/O Cable
LW-3050F-62.5/125	Dual Core Multi-Mode(62.5/125) F/O Cable

© Please Mark the Packing Method: 500M, 1KM or 2KM/Wooden Drum (Or As Your Request)

© Please indicate PVC or LSZH jacket

LW-3061



10/100 Base Fast Ethernet Converter

Item No	Description
LW-3061A -T	Single SC port for single-mode 9/125um (Transmission:1550nm,Receiving:1310nm)
LW-3061A-R	Single SC port for single-mode 9/125um (Transmission:1310nm,Receiving:1550nm)
LW-3061B	Dual SC port for single-mode 9/125um
LW-3061C	Dual SC port for multi-mode (50/125 and 62.5/125um)

© Singlemode(9/125um) Transmission Distance:20km

© Multimode Transmission Distance:2km


LW-3050P



Micro Tube Dry Core Fiber Optical Cable

Order information

Core of fiber	4C, 8C, 12C, 24C, ...48C, ...96C, ...144C
Type of fiber	9/125 μ m, 50/125 μ m, 62.5/125 μ m
Packing	1KM/Reel, 2KM/Reel, 3KM/Reel as usual



LW-3062



10/100/1000 Base Gigabit Ethernet Converter

Item No	Description
LW-3062A -T	Single SC port for single-mode 9/125um (Transmission:1550nm,Receiving:1310nm)
LW-3062A-R	Single SC port for single-mode 9/125um (Transmission:1310nm,Receiving:1550nm)
LW-3062B	Dual SC port for single-mode 9/125um
LW-3062C	Dual SC port for multi-mode (50/125 and 62.5/125um)

© Singlemode(9/125um) Transmission Distance:20km

© Multimode Transmission Distance:550m

LW-8110G-AT



1.25G Ethernet to fiber PoE media converter

Item No	Description
LW-8110G-AT-SM-T	Single SC port for single-mode 9/125um(1310/1550nm)
LW-8110G-AT-SM-R	Single SC port for single-mode 9/125um(1550/1310nm)
LW-8110G-AT-SM	Dual SC port for single-mode 9/125um
LW-8110G-AT-MM	Dual SC port for multi-mode (50/125 and 62.5/125um)

- ☉ Singlemode(9/125um) Transmission Distance:20km
- ☉ Multimode Transmission Distance:550m

LW-DS205



5-port unmanaged 1.25G Ethernet switch

Item No	Description
LW-DS205-SM-T	Single SC port for single-mode 9/125um(1310/1550nm)
LW-DS205-SM-R	Single SC port for single-mode 9/125um(1550/1310nm)
LW-DS205-SM	Dual SC port for single-mode 9/125um
LW-DS205-MM	Dual SC port for multi-mode (50/125 and 62.5/125um)

- ☉ All port anti-lighting(6KV)
- ☉ 3KV isolation protection
- ☉ No fan, metal shell, internal power, 100-240V AC
- ☉ with 4x10/100/1000Base-T(X) ports and 1x1000Base-FX port
- ☉ Singlemode (9/125um) Transmission Distance:20km
- ☉ Multimode Transmission Distance:550m
- ☉ If you need PoE function we can supply, please indicate when you order

LW-DS209



9-port unmanaged 1.25G Ethernet switch

Item No	Description
LW-DS209-SM-T	Single SC port for single-mode 9/125um(1310/1550nm)
LW-DS209-SM-R	Single SC port for single-mode 9/125um(1550/1310nm)
LW-DS209-SM	Dual SC port for single-mode 9/125um
LW-DS209-MM	Dual SC port for multi-mode (50/125 and 62.5/125um)

- ☉ All port anti-lighting(6KV)
- ☉ 3KV isolation protection
- ☉ No fan, metal shell, internal power, 100-240V AC
- ☉ with 8x10/100/1000Base-T(X) ports and 1x1000Base-FX port
- ☉ Singlemode (9/125um) Transmission Distance:20km
- ☉ Multimode Transmission Distance:550m
- ☉ If you need PoE function we can supply, please indicate when you order

LW-3251



Trolley With Duct Wire(size Of Frame:700mm)

Item No	Description
LW-3251-6mmx80m	6mm OD Duct Wire(length:80m,max:100m)
LW-3251-6mmx100m	6mm OD Duct Wire(length:100m,max:100m)
LW-3251-8mmx80m	8mm OD Duct Wire(length:80m,max:80m)

- ☉ Other length can supply as per customer's request
- ☉ Colour of fiber glass:yellow or white

LW-3252



Trolley With Duct Wire(size Of Frame:800mm)

Item No	Description
LW-3252-8mmx100m	8mm OD Duct Wire(length:100m,max:150m)
LW-3252-8mmx150m	8mm OD Duct Wire(length:150m,max:150m)

- ☉ Other length can supply as per customer's request
- ☉ Colour of fiber glass:yellow or white

LW-3257



Trolley With Duct Wire(size Of Frame:900mm)

Item No	Description
LW-3257-8mmx200m	8mm OD Duct Wire(length:200m,max:200m)
LW-3257-9mmx100m	9mm OD Duct Wire(length:100m,max:150m)
LW-3257-9mmx150m	9mm OD Duct Wire(length:150m,max:150m)
LW-3257-10mmx100m	10mm OD Duct Wire(length:100m,max:100m)

- ☉ Other length can supply as per customer's request
- ☉ Colour of fiber glass:yellow or white

LW-3258



Trolley With Duct Wire(size Of Frame:1100mm)

Item No	Description
LW-3258-8mmx300m	8mm OD Duct Wire(length:300m,max:350m)
LW-3258-9mmx300m	9mm OD Duct Wire(length:300m,max:300m)
LW-3258-10mmx200m	10mm OD Duct Wire(length:200m,max:250m)
LW-3258-10mmx250m	10mm OD Duct Wire(length:250m,max:250m)
LW-3258-11mmx200m	11mm OD Duct Wire(length:200m,max:200m)
LW-3258-13mmx200m	13mm OD Duct Wire(length:200m,max:200m)

- ☉ Other length can supply as per customer's request
- ☉ Colour of fiber glass:yellow or white

LW-3259



Trolley With Duct Wire(size Of Frame:1300mm)


Item No	Description
LW-3259-10mmx300m	10mm OD Duct Wire(length:300m,max:400m)
LW-3259-11mmx300m	11mm OD Duct Wire(length:300m,max:350m)
LW-3259-13mmx300m	13mm OD Duct Wire(length:300m,max:300m)

- ☉ Other length can supply as per customer's request
- ☉ Colour of fiber glass:yellow or white

LINKWYLAN
联格威朗

15年综合布线解决方案

Professional Network Cabling Solutions
Fiber Optical Products



东莞市联威通讯有限公司
Dongguan Lianwei Communication Co., Ltd.

3F, Unit 2, South 3# Bldg, CIMC Digital Technology Park
Songshan Lake, Dongguan City, Guang Dong, 523808, China
广东省东莞市松山湖园区中集产城科技园南3栋2单元三楼
www.linkwylan.com | info@linkwylan.com